



PLUGS AND SOCKETS, SCHUKO-TYPE

PLUGS AND SOCKETS, SCHUKO TYPE

splashproof and water pressure protection

Panel Mounting Socket Outlets, Surface Mounting Socket Outlets, Plugs, Connectors, Three-Way Connectors, Multi Socket Outlets, Extension Cables

TABLE OF CONTENTS



Preferred scopes



Construction Industry




Camping site



Industry




Building Services



Farming



Harbour and Shipbuilding

 -Zone 22
Page 116



Surface Mounting
Socket Outlets
Page 116



Panel Mounting
Socket Outlets
Page 116, 117



Plugs
Page 118



Connectors
Page 118



Panel Mounting Socket
Outlets
IP degree 68
Page 119



Plugs
IP degree 68
Page 119,120



Appliance Inlets
with Flange
IP degree 68
Page 119



Connectors
IP degree 68
Page 120



Three-Way Connectors
Page 120





Multi Socket
Outlets
Page 120, 121




Extension
Cables
Page 121




Colour	Cat. No.		Qty
--------	----------	--	-----




Surface Mounting Socket Outlet Schuko Type

- switched and interlocked
- according to the EC-directive 94/9/EG for explosive areas
- with EC-type examination certificate
- -Zone 22
- protection degree IP 67


blue 76 101 1




Plug Schuko Type

- with closure cap
- according to the EC-directive 94/9/EG for explosive areas
- with EC-type examination certificate
- -Zone 22
- protection degree IP 67


blue 73 62 1



Surface Mounting Socket Outlet Schuko Type

- protection degree IP 44 


blue 72 4 20
grey 72 5 20
black 72 6 20



Surface Mounting Socket Outlet Schuko Type

- switched and electrical interlocking
- protection degree IP 67


76 100 1




Panel Mounting Socket Outlet Schuko Type

- without hinged lid
- protection degree IP 20

	rear connect.	side connect.	
blue	71 3	71 6	20
grey	71 2	71 5	20
black	71 4	71 7	20



Panel Mounting Socket Outlet Schuko Type


- with hinged lid
- protection degree IP 44 

	rear connect.	side connect.	
blue	71 0	71 1	20
grey	71 8	71 00	20
black	71 9	71 01	20


PANEL MOUNTING SOCKET OUTLETS SCHUKO TYPE

16 A/ 250 V ~
VDE 0620


Colour	Cat. No.	Cat. No.	Qty
	rear connection	side connection	




Panel Mounting Socket Outlet Schuko Type

- terminals according BGV A2
- contact carrier Polyamide 6
- protection degree IP 44 

blue	71 30	71 29	20
grey	71 32	71 31	20
black	71 34	71 33	20



Panel Mounting Socket Outlet Schuko Type

- high temperature resistant contact carrier
- terminals according BGV A2
- protection degree IP 44 


May be fitted with auxiliary contact see page 207.

German system


blue	71 35		20
grey	71 36		20
black	71 37		20

Belgian/French system

blue	71 39		20
grey	71 42		20



Panel Mounting socket Outlet Schuko Type

- high temperature resistant contact carrier
- terminals according BGV A2
- protection degree IP 44 

German system


blue	71 38		20
------	-------	--	----

Belgian/French system


blue	71 40		20
------	-------	--	----

PANEL MOUNTING SOCKET OUTLETS SCHUKO TYPE SCREWLESS WITH TWIN TERMINAL


16 A/ 250 V ~
protection degree IP 54




Panel Mounting Socket Outlet Schuko Type

- screwless twin-terminal
- protection degree IP 54 

blue	71 041		20
grey	71 049		20
black	71 047		20



Panel Mounting Socket Outlet Schuko Type

- screwless twin-terminal
- with shutter for child protection
- protection degree IP 54 

German system


blue	71 034		20
grey	71 052		20
black	71 050		20


Belgian/French system


blue	71 042		20
grey	71 055		20
black	71 053		20

PLUGS AND CONNECTORS SCHUKO TYPE


16 A/ 250 V ~
VDE 0620
protection degree IP 44 and IP 54


Colour	Cat. No.	Qty
		




- Plug Schuko Type**
- with cable sleeve
 - nickel plated contacts
 - suitable for Belgian/French system
 - protection degree IP 44 


blue	73 02	20
grey	73 03	20
black	73 06	20




- Connector Schuko Type**
- with self closing hinged lid and cable sleeve
 - protection degree IP 54 


blue	74 09	20
grey	74 10	20
black	74 28	20




- Connector Schuko Type**
- with lid on string and cable sleeve
 - protection degree IP 54 


blue	74 11	20
grey	74 12	20
black	74 31	20



- Connector Schuko Type**
- for Belgian/French system
 - with self closing hinged lid and cable sleeve
 - protection degree IP 54 

blue	74 15	20
------	-------	----





- Connector Schuko Type**
- for Belgian/French system
 - with lid on string and cable sleeve
 - protection degree IP 54 

blue	74 14	20
grey	74 29	20
black	74 30	20


PANEL MOUNTING SOCKET OUTLETS, PLUGS AND APPLIANCE INLETS SCHUKO TYPE WITH FLANGE

16 A/ 250 V ~
VDE 0620, protection degree IP 68

Colour	Cat. No.		Qty
--------	----------	--	-----



Panel Mounting Socket Outlet Schuko Type


- protection degree IP 68 

German system

blue	71 12	10
grey	71 19	10

Belgian/French system

blue	71 53	10
grey	71 028	10



Panel Mounting Socket Outlet Schuko Type


- protection degree IP 68 

German system


blue	71 18	10
grey	71 20	10

Belgian/French system


blue	71 029	10
grey	71 030	10




Panel Mounting Socket Outlet Schuko Type

- protection degree IP 68 


blue	71 17	10
grey	71 21	10




Plug Schuko Type

- with closure cap
- protection degree IP 68 

blue	73 6	10
grey	73 7	10




Appliance Inlet with Flange Schuko Type


- with closure cap
- protection degree IP 68 

blue	75 4	10
grey	75 5	10

CONNECTORS AND MULTIPLE SOCKET OUTLETS SCHUKO TYPE

16 A/ 250 V~, VDE 0620
protection degree IP 44, IP 67, IP 68

Colour	Cat. No.		Qty
--------	----------	--	-----





Connector Schuko Type
German system

blue	74 6	10
grey	74 7	10

Belgian/French system

blue	74 16	10
grey	74 55	10

- protection degree IP 68 




Three-Way Connector Schuko Type


German system

blue	74 9	1
------	------	---

Belgian/French system

blue	74 32	1
------	-------	---


- with protective cover and suspension clip
- protection degree IP 67 



Three-Way Connector Schuko Type

black	74 4	1
-------	------	---


- (butyl-rubber)
- 3 hinged lid, sleeve, suspension clip
- according to 620 s./7.80 § 25
- protection degree IP 44



Three-way connector Schuko Type

black	74 8	1
-------	------	---

- (butyl-rubber)
- self closing hinged lid, sleeve, suspension clip
- protection degree IP 20



Multiple Socket Outlet Schuko Type


	51 229	1
--	--------	---

- with three socket-outlet schuko type
- cable entry:
1xM20 on top (open)
1xM20 and M 25 at bottom (closed)
- protection degree IP 20

MULTI SOCKET OUTLETS SCHUKO TYPE, EXTENSION CABLES

16 A/ 250 V ~
VDE 0620, protection degree IP 44 and IP 67, IP 68

Cat. No.



Type: 53 069

13 MB 7

Distributor Schuko Type

53 069

input:
plug schuko type
with 1,8 m H07RN-F3G2,5 mm
outlet:
3 x **socket-outlet schuko type**
with RCD 25/0,03 A/ 2pol.

- protection degree IP 44
- Other equipments on request.



Type: 81 56

Extension Cable
equipped with
plug schuko type
and connector

- protection degree IP 44

H07RN-F3G1,5	10 m length	81 89
H07RN-F3G2,5	10 m length	81 56
H07RN-F3G1,5	15 m length	81 90
H07RN-F3G2,5	15 m length	81 58
H07RN-F3G1,5	20 m length	81 91
H07RN-F3G2,5	20 m length	81 92



Type: 81 82

Extension Cable
equipped with
plug schuko type
and three-way connector

- protection degree IP 44

H07RN-F3G1,5	10 m length	81 93
H07RN-F3G2,5	10 m length	81 82
H07RN-F3G1,5	15 m length	81 94
H07RN-F3G2,5	15 m length	81 95
H07RN-F3G1,5	20 m length	81 96
H07RN-F3G2,5	20 m length	81 97



Type: 81 99

Extension Cable
plug schuko type
and connector

- protection degree IP 68

H07RN-F3G1,5	10 m length	81 98
H07RN-F3G2,5	10 m length	81 99
H07RN-F3G1,5	15 m length	81 000
H07RN-F3G2,5	15 m length	81 001
H07RN-F3G1,5	20 m length	81 002
H07RN-F3G2,5	20 m length	81 003



Type: 81 004

Extension Cable
plug schuko type
and three-way connector

- protection degree IP 67

H07RN-F3G1,5	10 m length	81 004
H07RN-F3G2,5	10 m length	81 005
H07RN-F3G1,5	15 m length	81 006
H07RN-F3G2,5	15 m length	81 007
H07RN-F3G1,5	20 m length	81 008
H07RN-F3G2,5	20 m length	81 009